

DT15 WORKSTATION



The DT15 is pcddata's latest touch screen workstation. The coated aluminum housing is durable and stylish, allowing the workstation to be used in a broad variety of situations and ambient conditions.

The processor is cooled via direct contact to the aluminum housing. Because the DT15 has no fan, there is no risk of components being polluted, while maintaining great heat resistance as a result. The solid state disk has no moving parts and is extremely fast.

The DT15 gets its name from the extremely bright 15" TFT display, which has wide viewing angles. This makes the screen perfect readable in the most challenging lighting conditions. The available variety of mounting options, make the DT15 easy to install in most environments. It can be mounted to the floor or wall or be placed on a desk.

The DT15 comes with resistive touch screen and a full function keyboard to operate the applications. When floor or wall mounting is used, the keyboard is supported by a special keyboard bracket.

Selected to be used as a thin client connected to a central server, the DT15 can be equipped with a full function operating system to be used as standalone or network computer. As a thin client however, this has the advantage that all important information and transactions are executed, stored and protected in a central server environment, typically with backup.

A power adapter with universal AC input is included and is placed inside the main bracket. All connecting cables lead through the supporting tube. Because the back cover can be removed when the DT15 is mounted, the connections on the back have easy access for installation.

The compact and black coated DT15 is designed to blend in its environment, yet remains striking by its styling.

FEATURES

The high quality components provide excellent performance and long lifetime.

The operation system is dedicated for thin client use but has an optional full function operating system.

The low power computer and display only need passive cooling.


The supporting brackets make it easy and quick to install.

The attractive styling compliments most system environments

The full metal housing makes it rugged and reliable.

Fully backwards compatible with TC-15B


DT15 WORKSTATION



Specifications

Processor:	Intel Celeron J1900 Quad Core 2.42GHz
Memory:	4GB DDR3L
Disk:	128GB SSD
Screen:	15" TFT (1024x768pixels, 350cd/m2, LED)
Touch panel:	5 Wire resistive
Network:	Gigabit LAN (RJ45)
I/O:	USB 2.0 (3x rear, 1x side), 1x USB 3.0 (1x rear), 24V Powered USB (1x rear)
Input power:	100-240V AC, 90W max. (via included 12V DC power supply)
Construction:	Aluminium enclosure on steel bracket
Sizes(WxHxD):	366x293x39,5mm (14 7/16 x 11 9/16 x 1 9/16") terminal only
Weight:	3,2kg (7lb) terminal only
Operating environment:	0°C ~ 40°C (32 ~ 104°F), terminal is "frontal water spill-proof"
Approvals:	CE, FCC (Class A)

DT15 WORKSTATION



Mounting	Floor mounting tube Wall mounting bracket Desktop bracket
Keyboard	104 key US (Standard keyboard)
Barcode scanner	Hand scanner Fixed scanner



Pcdata
Wiebachstraat 32
6466 NG Kerkrade
The Netherlands
T + 31 45 544 2343

Pcdata US
29 Kripes Road
East Granby,
CT 06026 USA
Toll free +1 855 844-1086